

2400-2500/5150-5850/5850-7200MHz 3dBi Triple Bands Rubber Duck Antenna



Electrical Specifications			
Model	STRD2472G3-SM		
Frequency Range (MHz)	2400-2500	5150-5850	5850-7200
Gain (dBi)	2.5 ± 0.5	3.0 ± 0.5	3.5 ± 0.5
Polarization	Vertical		
VSWR	≤ 1.8 (Max)		
Maximum Power	50 W		
Impedance	50 Ω		
Lightning Protection	DC Ground		
Mechanical Specifications			
Connector Type	SMA-male		
Dimensions	197x21x14.6mm		
Antenna Weight	35 G		
Color	Black		
Radome Material	ABS, White, RAL9003		
Operational Humidity	< 95%		
Operational Temperature	-40°C to +65°C		

SANNY TELECOM EQUIPMENT CO., LTD


Address: Room 201 Building 1, Wanyang Industrial Park, No.82 Xiaotang Industrial Avenue,
Shishan Town, Nanhai District, Foshan City 528223, Guangdong Province, China

Tel: +86 757 8766 0070



Fax: +86 757 8766 0500

Email: sales@sannytelecom.com



Website: www.sannytelecom.com




2.4GHz



5.5GHz



6.6GHz



SANNY TELECOM EQUIPMENT CO., LTD


Address: Room 201 Building 1, Wanyang Industrial Park, No.82 Xiaotang Industrial Avenue, Shishan Town, Nanhai District, Foshan City 528223, Guangdong Province, China

Tel: +86 757 8766 0070


Fax: +86 757 8766 0500

Email: sales@sannytelecom.com


Website: www.sannytelecom.com



7.1GHz



VSWR Plot @ 2400-2500/4900-7200MHz



SANNY TELECOM EQUIPMENT CO., LTD

Address: Room 201 Building 1, Wanyang Industrial Park, No.82 Xiaotang Industrial Avenue, Shishan Town, Nanhai District, Foshan City 528223, Guangdong Province, China

Tel: +86 757 8766 0070

Fax: +86 757 8766 0500

Email: sales@sannytelecom.com

Website: www.sannytelecom.com